Journal of Occupational and Environmental Medicine
Vol. 39, January - December 1997

INDEX TO PAGES

According to monthly issues January - December

Pages	Month	Pages	Month
1–88	January	595–690	July
89–184	February	691–810	August
185–272	March	811–914	September
273–384	April	915–1020	October
385–488	May	1021–1126	November
489–594	June	1127–1262	December

SUBJECT INDEX

A

Abortion, spontaneous, self-reported stress related to, 556
Absence from work
  frequency and duration, work force characteristics affecting, 248
  headache related to, 320
  illness causing, petroleum industry, 455
  reduced, employee fitness program, 827
ACOEM: *see* American College of Occupational and Environmental Medicine
Advantage, competitive, healthy work force (editorial), 611
Agent Orange, exposure to, surrogate measures of, 740
Agriculture industry, older workers
  nonfatal occupational injuries in, 855
  occupational fatalities, 715
Air force personnel, postural balance of, jet fuel exposure affecting, 623
Air pollution, respiratory health, Mexico City, 299
Amalgam fillings, chelation therapy, placebo response, 707
American Board of Independent Medical Examiners (ABIME), special report, 509
American College of Occupational and Environmental Medicine (ACOEM)
  annual conference, Sappington Lecture, 844
  Code of Ethical Conduct
    editorial, 614
    proposed revision, 616
  library and electronic resource recommendations, physicians, 469
  State-of-the-Art Conference, advance program, 779
American Occupational Health Conference
  advance program, 166
  exhibitors, 371
  scientific session abstracts, 355
Aminotransferase, elevated levels, coke oven and by-product workers, 527
Amphetamine, foreign drug metabolizing to (OM forum), 201
Antineoplastic agents, occupational exposure, infertility among nurses and pharmacists, 574
Arizona, hantavirus infection, occupational risk, 463
Arm
  disorders of
    cumulative trauma, 767
    disability predictors, 339
    functional outcome, 1195
  symptoms in, computer keyboard force related to, 1144
Army, musculoskeletal-related disability in, 68
Asbestos disease, foundrymen (letter), 699
Asenlix, amphetamine test positive after (OM forum), 201
Assault, workplace, non-fatal injury, 44
Asthma
  hairdressers with, female, 534
  surveillance
    repeated case-control studies, 51
    work-related, 415
Audiometry, hazardous materials response fire fighters, medical surveillance, 238
Automobile company, German, model and pattern makers in, 1228

B

Back, low
  disorders of, 748
  recurrent pain, 35
Back injury, hospital data, occupational health risk prioritization and measurement, 882
Balance, postural, jet fuel exposure affecting, 623
Banking industry, employee fitness program, reduced absenteeism, 827
Benzene exposure, low-level, lymphopenia, 232
Beryllium
  carcinogenicity, humans, 205
  editorial, 203
  sensitization to, in vivo vs in vitro measures of, 540
Blood lead
  radiator repair workers, Colorado, 58
  reaction time related to, curvilinear relationship, 426
Blood pressure, overtime work affecting (letter), 286
Book reviews, 83, 163, 681, 905, 1013, 1123, 1245
Brain, flickering light effects, patients with perceived electrical hypersensitivity, 15
Bronchitis, chronic, hairdressers with, 534

C

Cable industry, cyanide exposure in, thyroid function affected by, 258
California, workplace assault injury, nonfatal, 44
Canada, occupational medicine practitioner in, characteristics of, 895
Cancer: *see also* specific site
  lung
    epidemic, 1003
    Vietnam veterans, 740
  nasal, wood dust related to, 148
  testicular, parental occupational exposure related to, 333
  upper respiratory tract, formaldehyde exposure, 639
Cancer mortality, hexavalent chromium exposure, Chinese population, 315
Cancer risk, silicotic men, Sweden and Denmark, 633
Carboxyhemoglobin, methylene chloride, cardiac risk (letter), 11
Carcinogenicity, beryllium, humans, 205
Cardiovascular intervention, multifactorial, worksite, 1154

Carpal tunnel syndrome
screening for, workplace, 727
vitamins B_6 and C related to, 949
Case-control study
computer keyboard force, upper extremity symptoms related to, 1144
lung cancer, Vietnam veterans, 740
repeated, asthma surveillance, 51
Chelation therapy, symptoms attributed to amalgam fillings, placebo response, 707
Chemical industry, employee fitness program, reduced absenteeism, 827
ChemLawn, pesticide applicators, mortality in, 1055
Chemotherapy, workplace, self-reported infertility related to, 574
Chest radiography, Portland cement workers, 1047
Chief health officer, workplace, role of, 844
Chinese population, hexavalent chromium exposure, cancer mortality, 315
Chloromethyl ether, lung cancer epidemic caused by, 1003
Cholinesterase inhibitor, poisoning by, lawn care and tree service industries (letter), 193
Chromium, hexavalent, cancer mortality related to, 315
Clinic
Environmental Health Response, survey of program options, 983
office ergonomics, results at 30 months (letter), 1031
Clinical guide, occupational and environmental medicine patient, family practice, 1191
Clinical practice guidelines, development, use, and evaluation of, 23
Clobenzorex, amphetamine test positive after (OM forum), 201
Code of Ethical Conduct, American College of Occupational and Environmental Medicine
editorial, 614
proposed revision, 616
Code of Ethics, International Commission on Occupational Health, 616
Cohort, large historical, vital status verification, 1097
Coke oven workers, serum liver enzymes in, elevated, 527
Colorado, radiator repair workers, blood lead levels in, 58
Community Intervention Trial for Smoking Cessation, worksite tobacco-control initiatives, 520
Competitive advantage, healthy work force (editorial), 611
Compliance, physician, universal precautions, 130
Compression stockings, venous insufficiency, standing profession, 889
Computer, grip strength measurement assisted by, submaximal effort detection, 1220
Computer keyboard, force used, upper extremity symptoms related to, 1144
Construction industry fatalities
older workers, 715
overhead power line contact, 328
risk differences in, 832
Convenience store, robberies in, employee injury risk factors, 442
Corporate health and safety costs, definition of, 224
Corporations, North American, office ergonomics programs, 1203
Correction officers, psychiatric disorders, topography of, 569
Cost
corporate health and safety, definition of, 224
disability, in-house physical therapy to reduce, 344
job-related injuries and diseases, occupation ranking by, 1170
medical claims, personal health practices affecting, 1037
multifactorial cardiovascular interventions, worksite, 1154
workers' compensation insurance
low back pain, 937
public vs private, 119
Cost benefit, sumatriptan, 652
Cost-effectiveness
influenza vaccine, healthy working-age population, 408
varicella vaccine, health care workers (letter), 605
Cotinine, hair analysis, environmental tobacco smoke exposure, 946
Crime protection regulation, late night retail worker, employer practices related to, 1233
Curriculum, family medicine
five key elements, 1186
occupational and environmental medicine gap in, 1183
Cyanide exposure, thyroid function affected by, cable industry workers, 258

D

Data collection, routine, benzene exposure, 232
De Quervain's tenosynovitis, 990
Denmark, silicotic men, cancer risk and mortality patterns, 633
Department of Sanitation, New York City, landfill employees, 1103
Device, nerve conduction, portable, 727
Diet pill, metabolism of, d-methamphetamine from (letter), 1135
Disability
low back pain
length and cost of, 937
recurrent claims, 35
musculoskeletal-related, US Army personnel, 68
upper-extremity disorders, predictors of, 339
Disorder
low-back, work-related, 748
upper-extremity
disability predictors, 339
work-related, 1195
upper-extremity cumulative trauma, maquiladora medical devices manufacturing plant, 767
Dust exposure, Portland cement workers, chest radiography, 1047
Dynamics, therapeutic, four laws of (editorial), 295

E

Editorials
ACOEM Code of Ethical Conduct, 614
Beryllium revisited, 203
Competitive advantage of a healthy work force, 611
Four laws of therapeutic dynamics, 295
Plaint of the aged worker: an annotated poem, 1141
Reproductive toxins: a growing concern at work and in the community, 105
Whole-body vibration exposure and occupational work-hardening, 403
Education, medical
occupational and environmental medicine curriculum, 1186
occupational and environmental medicine gap in, 1183
Elderly
nonfatal occupational injuries in, descriptive analysis of, 855
occupational fatalities, United States, 715
plaint of the aged worker: an annotated poem (editorial), 1141
Electric field exposure, occupational, leukemia related to, 1074
Electrical hypersensitivity, perceived, neurophysiological effects of flickering light, 15
Electroneurometer, median nerve conduction testing, carpal tunnel syndrome screening, 727
Electronic resources, recommended, ACOEM, 469
Emergency department, national probability sample of, nonfatal occupational injuries to older workers, 855
Employee injury, convenience store robberies, risk factors, 442
Engineering controls, health care settings, tuberculosis in, 849
Environmental disease, placebo response, amalgam fillings, 707
Environmental hazardous agents, human exposure to, new evaluation approach (letter), 285
Environmental Health Response Clinics, survey of program options, 983
Enzyme, liver, elevated serum, 527
Epidemic, lung cancer, chloromethyl ether causing, 1003
Epididymitis, heavy lifting related to (OM forum), 609

Ergonomics
office
clinic results at 30 months (letter), 1031
North American corporations, 1203
risk exposure, upper-extremity cumulative trauma disorders, 767
Ether, chloromethyl, lung cancer epidemic caused by, 1003
Ethics
Code of Ethical Conduct
American College of Occupational and Environmental Medicine (editorial), 614
proposed revision, 616
Code of Ethics, International Commission on Occupational Health, 616
Exercise, hydrogen sulfide inhalation during, men and women, 122
Exiled smoking, non-regular smokers affected by, 734
Exposure
antineoplastic agents, infertility among nurses and pharmacists, 574
benzene, low-level, 232
chemical and radiation, female infertility risk, 138
cyanide, thyroid function affected by, 258
environmental tobacco smoke, work offices, 1111
ergonomic risk, upper-extremity cumulative trauma disorders, 767
formaldehyde, upper respiratory tract cancer, 639
jet fuel, postural balance affected by, 623
lead, occupational, 658
N-methyl-2 pyrrolidone, stillbirth after (letter), 393
parental, testicular cancer risk, 333
polycyclic aromatic hydrocarbons, fire fighting, 515
solvent, railroad industry (letter), 926
vibration, whole-body, 403
wood chip mulch, pulmonary response, 308
Exposure assessment, Washington Poison Center approach, hazardous materials incidents, 760

F

Face, skin symptoms, office workers, 108
Family medicine
curriculum
five key elements, 1186
occupational and environmental medicine gap in, 1183
occupational and environmental medicine patient in, clinical guide to, 1191
Fatality: *see also* Mortality
construction laborers, risk differences, 832
older workers, 715
overhead power line contact, 328
Fever, metal fume, IL-6 responses, 722
Fiberglass, continuous filament
mortality among workers, 548
mortality in manufacturing plant, 432
Fillings, amalgam, chelation therapy, 707
Finland, malpractice medical surveillance, suicide after, 1115
Fire fighters
hazardous materials response, medical surveillance of, 238, 1135
polycyclic aromatic hydrocarbon exposure, urinary 1-hydroxypyrene measurement to assess, 515
First aid, supplies needed, occupational setting without medical department (OM forum), 825
Fishing industry, nonfatal occupational injuries in, older workers, 855
Fitness program, employee, reduced absenteeism, 827
Floor mat, rubber, chronic venous insufficiency, 889
Flow system, hydrogen sulfide exposure, exercising volunteers, 122
Force, computer keyboard, upper extremity symptoms related to, 1144
Foreign drug, amphetamine test positive after (OM forum), 201
Forestry industry, nonfatal occupational injuries in, older workers, 855
Formaldehyde exposure, upper respiratory tract cancer, meta-analysis, 639
Foundrymen, asbestos disease (letter), 699
Frequency, absence from work, work force characteristics affecting, 248
Fuel, jet, postural balance affected by, 623
Fume, zinc oxide, IL-6 responses, 722

G

Gender, musculoskeletal-related disability, US Army personnel, 68
Germany, automobile company, model and pattern makers in, 1228
Glove liner, breathable, rubber accelerator hypersensitivity prevention (letter), 605
Grip strength, computer-assisted measurement, submaximal effort detection, 1220
Guidelines, practice: *see* Clinical practice guidelines

H

Hair, nicotine and cotinine in, environmental tobacco smoke exposure, 946
Hairdressers, female, asthma and chronic bronchitis in, 534
Hand-Arm Vibration Syndrome, impact vibration, 1092
Hantavirus infection, occupational risk, Arizona and New Mexico, 463
Hazardous materials (HAZMAT)
environmental, human exposure to (letter), 285
fire fighters, medical surveillance of, 238, 1135
Washington Poison Center experience, exposure assessment, 760
Headache
migraine, sumatriptan treatment, 652
workplace, lost workdays and decreased effectiveness related to, 320
Health care workers
HIV prophylaxis, 1212
tuberculosis in, engineering controls and respiratory protection, 849
varicella vaccine, cost-effectiveness (letter), 605
Health practices, personal, financial impact, 1037
Healthy population, working-age, influenza vaccine cost-effectiveness, 408
Hearing loss
lead exposure related to, occupational, 658
noise-induced, physical education teachers (letter), 925
Heart, risk, methylene chloride and carboxyhemoglobin (letter), 11
Heavy lifting, epididymitis caused by (OM forum), 609
Hematotoxicity, benzene exposure related to, low-level, 232
Heuristics, analysis, medical causation (letter), 194
Hexavalent chromium, exposure in water, cancer mortality, 315
History, occupational, standardized questionnaire for obtaining (OM forum), 401
HIV: *see* Human immunodeficiency virus
Homeless people, urban recyclers, occupational injuries among, 672
Hospital, back injury data, occupational health risk prioritization and measurement, 882
Hospital emergency department, national probability sample of, nonfatal occupational injuries to older workers, 855
Hospitality workers, environmental tobacco smoke exposure, nicotine and cotinine in hair of, 946
Human immunodeficiency virus, prophylaxis, health care workers, 1212
Hydrocarbon, polycyclic aromatic, fire fighting exposure, 515
Hydrogen sulfide, inhalation effects, exercising men and women, 122
Hydroxypyrene, urinary, polycyclic aromatic hydrocarbon exposure assessment, 515
Hypersensitivity
electrical, perceived, 15
rubber accelerator, breathable glove liner prevention (letter), 605

I

ICOH: *see* International Commission on Occupational Health
Impact vibration, Hand-Arm Vibration Syndrome, 1092
Inception-rate model, 248
Incidence, workplace assault injury, nonfatal, 44
Inclinometer, surface
lumbar sagittal motion measurement, 209
reliability, 217

Indicators, quality, occupational health services (letter), 501
Infection, hantavirus, occupational risk, 463
Infertility
female, occupational exposure related to, 138
self-reported, antineoplastic agent occupational exposure related to, 574
Influenza vaccine, healthy working-age population, cost-effectiveness, 408
Inhalation, hydrogen sulfide, exercising men and women, 122
Injury: *see also* Trauma
fatal, construction laborers, 832
nonfatal occupational, older workers, 855
occupational, urban recyclers, 672
Insurance, workers' compensation
public vs private, 119
public vs private (letter), 819
Interleukin 6 response, clinical and plasma, zinc oxide fume exposure, 722
International Agency for Research on Cancer (IARC), carcinogenicity evaluation, humans, 205
International Commission on Occupational Health, Code of Ethics, 616
Israel, occupational physicians in, work structure and job satisfaction, 874

J

Jet fuel, chronic low-level exposure, postural balance affected by, 623
Job satisfaction, occupational physicians, Israel, 874

K

Keyboard force, computer, upper extremity symptoms related to, 1144

L

Laborer, construction, fatal occupational injuries, 832
Landfill workers, New York City, health study of, 1103
Lawn care industry
mortality in, 1055
pesticide poisoning (letter), 193
Lawyers, female, reproductive health of, 556
Lead, blood
radiator repair workers, 58
reaction time related to, 426
Lead exposure, occupational, hearing loss associated with, 658
Leukemia, electric and magnetic field exposure related to, occupational, 1074
Library, recommended, ACOEM, 469
Lifting, heavy, epididymitis caused by (OM forum), 609
Light, flickering, neurophysiological effects, 15
Liver enzyme, elevated serum, coke oven and by-product workers, 527
Louisiana, petroleum industry, mortality in, 448
Lung, symptom prevalence, newspaper pressroom workers exposed to solvents, 960
Lung cancer
epidemic, chloromethyl ether causing, 1003
formaldehyde exposure, 639
sulfuric acid mists and fumes related to, 205
Vietnam veterans, case-control study, 740
Lymphocyte proliferation test, beryllium, 540
Lymphoma, non-Hodgkin's, lawn care service workers, 1055
Lymphopenia, benzene exposure, low-level, 232

M

Magnetic field exposure, occupational, leukemia related to, 1074
Malpractice, female Finnish physician, suicide after, 1115
Managed care, Washington State Managed Care Pilot Project, occupational medicine-based delivery model, 1068
Manager, occupational health, office ergonomics program development, 1203
Manufacturing
continuous filament fiberglass, historical cohort mortality study, 432
man-made vitreous fibers, mortality among workers, 548
Manufacturing plant, maquiladora medical devices, upper-extremity cumulative trauma disorders, 767
Mask, surgical or disposable filtering, tuberculosis spread with, 849
Median nerve, conduction testing, portable device, 727
Medical causation, analysis heuristics (letter), 194
Medical device, maquiladora manufacturing plant, upper-extremity cumulative trauma disorders, 767
Medical evaluation, company-provided, temporary agency workers (OM forum), 1035
Medical examiners, independent, special report, 509
Meta-analysis
formaldehyde exposure, upper respiratory tract cancer, 639
leukemia, electric and magnetic field exposure related to, 1074
Metabolism, diet pill, d-methamphetamine from (letter), 1135
Metal fume fever, IL-6 responses, zinc oxide fume exposure, 722
d-Methamphetamine, diet pill metabolizes to (letter), 1135
Methylene chloride, carboxyhemoglobin, cardiac risk (letter), 11
N-Methyl-2 pyrrolidone, occupational exposure, stillbirth after (letter), 393
Metropolitan area
convenience store robberies in, employee injury risk factors, 442
urban recyclers, occupational injuries among, 672
Mexico City, air pollution and respiratory health in, 299
Michigan, state-based surveillance system, work-related asthma, 415
β2-Microglobulin, elevated, postnephrectomy (letter), 11
Migraine headache, sumatriptan treatment, cost benefit, 652
Military service
Army, musculoskeletal-related disability in, 68
Vietnam, healthy (letter), 101
Mining, older workers, occupational fatalities, 715
Minorities, continuous filament fiberglass manufacturing plant, historical cohort mortality study, 548
Model
occupational medicine-based delivery, Washington State Managed Care Pilot Project, 1068
patient-centered, occupational and environmental medicine patient in family practice, 1191
Model and pattern makers, automobile company, German, 1228
Modeling, sick leave and work resumption, 248
Mortality: *see also* Fatality
automobile workers, model and pattern makers, 1228
cancer, hexavalent chromium exposure, 315
continuous filament fiberglass manufacturing plant, historical cohort study, 432, 548
lawn care service workers, pesticide applicators, 1055
oil refinery and petrochemical employees, 448
petrochemical industry, young workers, 970
silicotic men, Sweden and Denmark, 633
Motion measurement, lumbar sagittal
reliability, 217
validity, 209
Mucostasis, wood dust related to, 148
Musculoskeletal disorder
in-house physical therapy, costs reduced by, 344
US Army personnel, 68
work-related (letter), 99

N

Nasopharyngeal cancer, formaldehyde exposure, 639
Needle-stick injury, HIV prophylaxis, USPHS guidelines, 1212
Needs assessment, family medicine curriculum, occupational and environmental medicine, 1183
Nephrectomy, β2-microglobulin after, elevated (letter), 11

Nerve conduction device, portable, carpal tunnel syndrome screening, 727
Neurophysiology, flickering light affecting, patients with perceived electrical hypersensitivity, 15
New Mexico, hantavirus infection, occupational risk, 463
New products, 353, 587, 805, 907
New York City, landfill employees, health study of, 1103
Newspaper pressroom workers, solvent-exposed, pulmonary and upper respiratory tract symptoms among, 960
Nicotine, hair analysis, environmental tobacco smoke exposure, 946
Noise, hearing loss induced by, physical education teachers (letter), 925
North America
  corporations in, office ergonomics programs, 1203
  nasal cancer risk, wood dust related to, 148
Nose, cancer, wood dust related to, 148
Nurses, self-reported infertility among, antineoplastic agent exposure related to, 574

O

Occupation ranking, costs, job-related injuries and diseases, 1170
Occupational Safety and Health Administration (OSHA), lead standard, radiator repair workers, 58
Occupational specialty, military, musculoskeletal-related disability, 68
Office ergonomics
  clinic results at 30 months (letter), 1031
  programs in North American corporations, case study of, 1203
Office Illness Project in Northern Sweden, facial skin symptoms, office workers, 108
Office workers
  computer keyboard force, upper extremity symptoms related to, 1144
  skin symptoms, facial, 108
Officer, chief health, role of, 844
Oil refinery industry
  illness absence in, 455
  mortality in, 448
Older workers
  nonfatal occupational injuries in, descriptive analysis of, 855
  occupational fatalities, United States, 715
Ontário, testicular cancer risk in, parental occupational exposure related to, 333
Organic Dust Toxic Syndrome, cytokine networking mediation, lung, 308
OSHA: *see* Occupational Safety and Health Administration (OSHA)
Outcome
  clinical and cost, multifactorial cardiovascular interventions in worksites, 1154
  functional, upper extremity disorders, 1195
Overtime work, blood pressure affected by (letter), 286

P

Pain
  low-back
    recurrent, 35
    workers' compensation claims, 937
  wrist, De Quervain's tenosynovitis, 990
Parental occupational exposure, testicular cancer risk, Ontario, 333
Patch test, beryllium, 540
Pattern makers, automobile company, German, 1228
Peer trainer, occupational health and safety training program, union-based, 661
People and events, 79, 159, 261, 349, 481, 583, 677, 775, 901, 1011, 1119, 1241
Pesticide poisoning
  lawn care and tree service industries (letter), 193
  lawn care service, mortality related to, 1055
Petrochemical industry
  illness absence in, 455
  mortality in, 448
    young workers, 970
Pharmacists, self-reported infertility among, antineoplastic agent exposure related to, 574
Physical education teacher, noise-induced hearing loss, risk of (letter), 925
Physical therapy, in-house, 344
Physician
  hospital-based, universal precaution compliance among, 130
  occupational medicine, Canada, 895
  occupational, Israel, 874
Placebo response, environmental disease, amalgam fillings, 707
Pneumoconiosis, Portland cement workers, prevalence, 1047
Police force, employee fitness program, reduced absenteeism, 827
Poliution, air, respiratory health in Mexico City, 299
Polycyclic aromatic hydrocarbon exposure
  coke oven workers, elevated serum liver enzymes, 527
  fire fighting, urinary 1-hydroxypyrene measurement to assess, 515
Portland cement workers, chest radiography, 1047
Power line, overhead, fatalities due to contact with, 328
Practice guidelines: *see* Clinical practice guidelines
Practitioner, occupational medicine, Canada, 895
Prediction, work disability, upper-extremity disorders, 339
Pregnancy, self-reported stress during, spontaneous abortion associated with, 556
Prevalence
  musculoskeletal-related disability, US Army personnel, 68
  pulmonary and upper respiratory tract symptoms, newspaper pressroom workers exposed to solvents, 960
Prioritization, occupational health risks, hospital back injury data, 882
Professional trainer, occupational health and safety training program, union-based, 661
Prophylaxis, human immunodeficiency virus, health care workers, 1212
Psychiatric disorders, correction officers, topography of, 569
Psychotherapy, group, work stress, 63
Pulmonary response, wood chip mulch exposure, 308

Q

Quality, occupational health services (letter), 501
Questionnaire, occupational history, standardized (OM forum), 401

R

Radiator repair workers, blood lead levels in, Colorado, 58
Radiography
  chest, Portland cement workers, 1047
  lumbar sagittal motion measurement, surface inclinometer compared with, 209
Railroad industry, solvent exposure (letter), 926
Ranking, occupation, costs of job-related injuries and diseases, 1170
Reaction time, blood lead level related to, curvilinear relationship, 426
Recyclers, urban, occupational injuries among, 672
Reliability
  environmental tobacco smoke exposure, self-reported, 1111
  surface inclinometer, lumbar sagittal motion measurement, 217
Reproduction
  self-reported stress related to, female lawyers, 556
  toxins affecting
    a growing concern (editorial), 105
    letter, 1136
Residency training
  occupational and environmental medicine curriculum, five key elements, 1186
  occupational and environmental medicine gap in, South Carolina, 1183
  occupational and environmental medicine patient in family practice, clinical guide to, 1191
Respirator, HEPA cartridge or air-purifying, tuberculosis spread with, 849
Respiratory disease
  air pollution related to, Mexico City, 299
  talc inhalation, foundrymen (letter), 699

Respiratory protection, health care settings, tuberculosis in, 849
Respiratory tract, upper
cancer of, 639
newspaper pressroom workers exposed to solvents, 960
Resumption-rate model, 248
Retail worker, late night, crime protection regulation, 1233
Revision, Code of Ethical Conduct, American College of Occupational and Environmental Medicine, 616
Risk
asthma, female hairdressers, 534
cancer
nasal, 148
silicotic men, 633
testicular, 333
cardiac, methylene chloride and carboxyhemoglobin (letter), 11
employee injury, convenience store robberies, 442
ergonomic, upper-extremity cumulative trauma disorders, 767
fatality, construction laborers, 832
hantavirus infection, Arizona and New Mexico, 463
infertility, female, 138
noise-induced hearing loss, physical education teachers (letter), 925
occupational health, hospital back injury data, 882
personal health practices, financial impact, 1037
spontaneous abortion, self-reported stress related to, 556
Robbery, convenience store, employee injury risk factors, 442
Rubber accelerator, hypersensitivity to, breathable glove liner prevention (letter), 605
Rubber floor mat, chronic venous insufficiency, standing profession, 889

S

Satisfaction, job, occupational physicians, 874
Scale, Upper Extremity Function, development and validation of, 1195
Screening, workplace, carpal tunnel syndrome, 727
Selected reviews of the literature, 13, 103, 197, 289, 397, 507, 705, 823, 933, 1139
Sensitization, beryllium, in vivo vs in vitro measures of, 540
Sick leave, modeling, 248
Silicosis, cancer risk and mortality patterns, Swedish and Danish men, 633
Sinonasal cancer, formaldehyde exposure, 639
Skin, facial, office workers, 108
Smoking: *see also* Tobacco smoke
outside workplaces, non-regular smokers affected by, 734
Smoking cessation, resource provision, worksite characteristics, 520
Smoking control, workplace, workplace size related to restrictions and programs, 866
Solvent exposure
newspaper pressroom workers, pulmonary and upper respiratory tract symptoms among, 960
railroad industry (letter), 926
South Carolina
Environmental Hazards Assessment Program, clinical guide to occupational and environmental medicine patient in, 1191
family medicine curriculum, five key elements, 1186
needs assessment in, family medicine curriculum, 1183
Special report, American Board of Independent Medical Examiners, 509
Specialty, occupational and environmental medicine, expansion of, 844
Spirometry
hazardous materials response fire fighters, medical surveillance, 238
newspaper pressroom workers, solvent-exposed, 960
Standing profession, venous insufficiency in, compression stockings and rubber floor mats for, 889
State-of-the-Art Conference, American College of Occupational and Environmental Medicine, advance program, 779
Statistics, composite comparative, hospital back injury data, 882
Stenosis, tenosynovitis, De Quervain's, 990
Stillbirth, *N*-methyl-2 pyrrolidone exposure before (letter), 393
Stockings, compression, venous insufficiency, 889
Stress
self-reported, reproductive health related to, 556
work, treating, 63
Suicide, medical surveillance preceding, female Finnish physicians, 1115
Sulfuric acid, mists and fumes, lung cancer related to, 205
Sumatriptan, cost benefit, 652
Supplies, first aid, occupational setting without medical department (OM forum), 825
Surface inclinometer, lumbar sagittal motion measurement
radiographs compared with, 209
reliability, 217
Surveillance
asthma
repeated case-control studies, 51
work-related, 415
blood lead level, laboratory-based, 58
medical
hazardous materials response fire fighters, 238, 1135
suicide after, 1115
whole-body vibration (letter), 1031
Sweden, silicotic men, cancer risk and mortality patterns, 633

T

Talc inhalation, respiratory disease, foundrymen (letter), 699
Teacher, physical education, noise-induced hearing loss (letter), 925
Temporary agency workers, medical evaluations of, company provided (OM forum), 1035
Tenosynovitis, De Quervain's, 990
Testicular cancer, parental occupational exposure related to, Ontario, 333
Therapeutic dynamics, four laws of (editorial), 295
Thumb, impaired function, De Quervain's tenosynovitis, 990
Thyroid function, cyanide exposure affecting, cable industry workers, 258
Time-lost model, 248
Tobacco, worksite-control initiatives, 520
Tobacco smoke: *see also* Smoking
environmental
nicotine and cotinine hair analysis, 946
work offices, 1111
Topography, psychiatric disorders, correction officers, 569
Toxin, reproductive
a growing concern (editorial), 105
at work and in the community (letter), 1136
Trace element, determination of, environmental disease, 707
Trainer, peer vs professional, occupational health and safety training program, 661
Training, overhead power line hazards, 328
Trauma: *see also* Injury
upper-extremity cumulative, maquiladora medical devices manufacturing plant, 767
Tree service industry, pesticide poisoning (letter), 193
Tuberculosis, health care settings, engineering controls and respiratory protection, 849

U

Union, occupational health and safety training program in, peer vs professional trainers, 661
United States
construction laborers, fatal occupational injuries, 832
occupational and environmental medicine curriculum in
five key elements, 1186
need for, 1183
older workers, occupational fatalities, 715
petrochemical industry, mortality among young workers, 970
Universal precautions, physician compliance, hospital-based, 130
Upper Extremity Function Scale, development and validation of, 1195

Urban recyclers, occupational injuries among, 672
Urine, hydroxypyrene in, polycyclic aromatic hydrocarbon exposure assessment, 515

V

Vaccine cost-effectiveness
  influenza, 408
  varicella (letter), 605
Validity
  environmental tobacco smoke exposure, self-reported, 1111
  motion measurement methods, lumbar sagittal, 209
Variable, personal, work-related low-back disorders influenced by, 748
Varicella vaccine, cost-effectiveness, health care workers (letter), 605
Venous insufficiency, chronic, compression stockings and rubber floor mats for, 889
Verification, vital status, two-stage protocol, 1097
Veterans, Vietnam, lung cancer in, 740
Vibration exposure
  impact, Hand-Arm Vibration Syndrome, 1092
  whole-body
    occupational medical surveillance and prevention (letter), 1031
    occupational work-hardening, 403
Vietnam
  military service in, healthy (letter), 101
  veterans of, lung cancer in, 740
Vital status, verification, two-stage protocol, 1097
Vitamins B_6 and C, carpal tunnel syndrome related to, 949
Vitreous fibers, man-made, mortality among workers, 548

W

Washington Poison Center, exposure assessment, hazardous materials incidents, 760
Washington State
  late night retail worker crime protection regulation, employer practices related to, 1233
  Managed Care Pilot Project, occupational medicine-based delivery model, 1068
Women
  continuous filament fiberglass manufacturing plant, historical cohort mortality study, 548
  infertility in, occupational exposure related to, 138
Wood chip mulch, pulmonary response, 308
Wood dust, nasal cancer risk, North America, 148
Workdays, lost, headache related to, 320
Workers' compensation
  alternative to, treating work stress, 63
  low back pain, length of disability and cost of claims, 937
  managed care pilot project, Washington State, 1068
  public vs private insurance
    cost analysis, 119
    letter, 819
Work force
  characteristics of, absence from work related to, 248
  healthy, competitive advantage (editorial), 611
Work-hardening
  occupational, whole-body vibration exposure, 403
  whole-body vibration protection (letter), 1031
Workplace
  assault in, non-fatal injury, 44
  carpal tunnel syndrome screening, 727
  environmental tobacco smoke exposure, self-reported, 1111
  headache in, lost workdays and decreased effectiveness related to, 320
  multifactorial cardiovascular interventions, clinical and cost outcomes, 1154
  smoking control in, workplace size related to restrictions and programs, 866
  smoking outside, non-regular smokers affected by, 734
  tobacco-control initiatives, 520
Work resumption, modeling, 248
Wrist, pain, De Quervain's tenosynovitis, 990

Y

Young workers, mortality, petrochemical industry, 970

Z

Zinc oxide fume exposure, below threshold, IL-6 responses, 722

AUTHOR INDEX

A

Abrons, HL, 1047
Acquavella, JF, 639
Adèr, HJ, 889
Adriaansen, S, 827
Afifi, AA, 1074
Albin, TJ, 1031
Aleksiev, AR, 403
Amandus, HE, 442
Amsel, J, 11
Anstadt, G, 611
Anstadt, GW, 224
Armstrong, T, 1144
Ashley, MJ, 866
Atkins, EH, 882

B

Babitsky, S, 509
Baker, EL, 163, 844
Balmes, J, 849
Banerjee, KK, 258
Barnhart, S, 849
Baron, RC, 58
Bass, J, 224
Beaudet, N, 849
Becker, N, 1228
Beckett, WS, 722
Beller, TA, 509
Bentley, A, 63
Berglund, A, 15
Berkowitz, SM, 68
Bernstein, J, 119, 819
Beryllium Industry Scientific Advisory Committee, 205
Bhambhani, Y, 122
Bhattacharya, A, 623
Bishayee, A, 258
Blanc, PD, 308
Bleecker, ML, 426
Block, C, 442
Bloswick, D, 767
Blot, WJ, 148
Bobka, CA, 540
Bombana, S, 51
Borland, R, 734
Bower, DB, 393
Brady, W, 224
Brauer, M, 946
Braun, J, 232
Brensilber, D, 442
Brigham, CR, 509
Brown, LM, 633
Brug, J, 1111
Bruynzeel, DP, 889
Buffler, PA, 1074
Bull, S, 866
Bullman, TA, 740
Burdorf, A, 748
Burgess, JL, 760
Burkey, MI, 605
Burnham, R, 122
Burton, WN, 611
Bynum, T, 442

C

Campbell, DS, 408
Chen, EH, 209, 217
Chen, LC, 722
Chen, S-PC, 209, 217
Chen, W, 983
Chiazze, L, Jr, 432, 548
Chow, W-H, 148
Christiani, DC, 238, 527, 960, 1135
Clancy, EA, 35, 937
Clark, MK, 138
Clarke, J, 734
Cloyd, ML, 1135
Colangelo, TA, 448, 455
Collins, JJ, 232, 639
COMMIT Research Group, 520
Conrad, KM, 209, 217
Corbet, K, 895
Corbett, K, 520
Coyne, KH, 509
Crampton, AR, 209, 217

D

D'Alessandro, A, 308
Dalton, CB, 58
Davidson, AL, 130
de Boer, EM, 889
de Vries, H, 827
Delclos, GL, 130
Dellon, AL, 1220
Dempsey, PG, 748
Dimich-Ward, H, 946
Drabbels, L, 827
Ducatman, A, 926
Dumas, M, 767

E

Eakin, J, 866
Easterday, PA, 232
Eaton, M, 556
Edington, DW, 1037
Egan, L, 209, 217
Engelberg, AL, 1047
Engelken, GJ, 540
Epstein, RL, 286
Eriksson, N, 108
Esmen, NA, 639

F

Falcone, G, 722
Feldstein, A, 501, 672, 1068
Felknor, SA, 130
Feuerstein, M, 68, 1144, 1195
Fine, JM, 722
Finegan, AM, 344
Fletcher, B, 1212
Fletcher, DJ, 681
Floren, AF, 1013
Ford, DP, 426
Forst, LS, 658
Fowke, J, 727
Franklin, G, 99
Fraumeni, JF, Jr, 633
Freels, S, 658
Friedman, PJ, 339
Friedmann, R, 442
Frost, LS, 1212
Frumkin, H, 83, 926
Fryar, C, 432, 548
Fuortes, L, 138
Furth, M, 285

G

Gadon, M, 193
Gallo, A, 51
Garbo, MJ, 394
Gee, H, 946
Gelberg, KH, 1103
Gershon, RRM, 130
Gilstrap, EL, 448, 455
Glasgow, RE, 520
Glass, A, 574
Goldman, RH, 882
Golitz, LE, 540
Gordon, T, 722
Graber, JM, 463
Grandjean, P, 707
Grayzel, EF, 344
Green, R, 556
Gregg, D, 611
Gridley, G, 633
Guldager, B, 707

H

Hadler, NM, 295, 1141
Hammer, K, 727
Hammonds-Ehlers, M, 138
Harber, P, 194, 983, 1047
Harris, JS, 23
Hashemi, L, 35, 937
Hashimoto, D, 960
Hayashi, T, 286
Hebaus, M, 1031
Henderson, VL, 1097
Hendricks, SA, 442
Hernandez-Garduño, E, 299
Hickey, P, 1144
Himmelstein, J, 727, 1195
Hoffman, RE, 58
Holmstrup, P, 707
Holness, DL, 895
Höög, J, 108
Hoops, DL, 509
House, RA, 895
Howard, J, 44
Huebner, WW, 970

I

Ireland, BK, 232

J

Janicak, CA, 328
Jarrard, MR, 882
Jenison, S, 463
Jetzer, TC, 1220
Jiang, T, 925
Johanning, E, 1031
Johnson, PC, 130
Jorgensen, G, 970
Jørgensen, PJ, 707
Joyce, J, 623

K

Kales, SN, 11, 238, 1135
Kalinowski, DJ, 415
Kang, HK, 99, 740
Katz, JN, 1195
Kaufman, JD, 1233
Kelen, GD, 130
Kelsey, KT, 527, 960
Keniston, RC, 949
Kessler, D, 442
Khabbaz, RF, 463
Kheifets, LI, 1074
King, C, 983
Kinney, P, 722
Kioski, C, 463
Kirchner, HL, 138
Kirkland, K, 926
Kisner, SM, 715
Knapp, D, 509
Knight, JA, 333
Kobayashi, Y, 286
Kosnik, R, 895
Kraus, JF, 44
Krijnen, RMA, 889
Ksiazek, TG, 463
Kuhn, G, 1228
Kurtz, JR, 661
Kuschner, WG, 308
Kushnir, T, 874

L

Läärä, E, 1115
Labuhn, K, 574
Landen, DD, 855
Langer, AM, 699
Larsen, IB, 707
Layne, LA, 855
Lea, RD, 509
Lechner, L, 827
Lee, BW, 960
Lee, J, 767
Legg, RF, 652
Lehmer, M, 63
Leigh, JP, 119, 819, 1170
Leino, T, 534

Leklem, JE, 949
Lemasters, G, 623
Leopold, R, 224
Leung, V, 946
Ley, CA, 1031
Li, SK, 315
Lincoln, A, 1144
Lindeman, S, 1115
Lindgren, KN, 426
Linet, MS, 633
Lipton, RB, 320
Liu, H-W, 527
Lockwood, RS, 949
Loeppke, RR, 224
Long, R, 727
Lönnqvist, J, 1115
Loomis, SC, 882
Looney, GL, 501
Lyskov, E, 15

M

MacDonald, MJ, 35
Mackowiak, JI, 652
MacLean, I, 122
Magnusson, M, 403
Mahan, CM, 740
Malcan, J, 442
Mao, I-F, 527
Marimuthu, P, 258
Marrett, LD, 333
Marschall, B, 1228
Marsh, GM, 1097
Mastrangelo, G, 51
Matkin, CC, 1074
McCammon, JB, 58
McCunney, RJ, 611
McGartland, M, 734
McLaughlin, JK, 148
McManus, R, 442
Medvedev, S, 15
Medvedovic, M, 623
Melamed, S, 874
Mellemkjær, L, 633
Menard, AK, 448, 455
Mendoza, CT, 1233
Meservy, D, 767
Michalsen, A, 130
Mild, KH, 15
Milek, D, 905
Miller, TR, 1170
Milton, DK, 394
Mitterhauser, MD, 1220
Mitton, J, 209, 217
Moen, BE, 515
Mohr, LJ, Jr, 1183, 1186, 1191
Moll van Charante, AW, 248
Moore, JS, 990, 1203
Morse, EP, 394
Moser, R, Jr, 224
Mueller, K, 509
Muir, DCF, 194
Mulder, PGH, 248
Munguía-Castro, M, 299
Murphy, LR, 130
Muse, VL, 1220

N

Nair, RS, 232
Nash, D, 1003
Nathan, PA, 949
Nelson, NA, 1233
Nemec, NL, 652
Newman, LS, 540
Nicolich, MJ, 970
Nolan, RP, 700
Nordman, H, 534

O

Olsen, JH, 633
Ore, T, 832
Orjala, H, 534
Osburn, A, 605
Osinga, DSC, 889
Øvrebø, S, 515

P

Paakkulainen, H, 534
Paccagenella, AM, 299
Pappas, GP, 760
Peck, CA, Jr, 68
Pederson, L, 866
Peek-Asa, C, 44
Pelletier, KR, 1154
Pelmear, PL, 1092
Pérez-Neria, J, 299
Persky, V, 658
Petersen, MR, 1047
Peterson, KW, 509
Piña-García, MA, 299
Polyhronopoulos, GN, 238
Ponchak, RE, 344
Pope, MH, 403
Pransky, G, 727, 1195
Pratt, SG, 715
Priante, E, 51
Puhala, E, II, 623

R

Radecki, P, 99
Reed, PO, 509
Reilly, MJ, 415
Rendleman, N, 672
Ribak, J, 874
Rice, JM, 203
Rice, WA, 99
Robertson, WO, 760
Robins, TG, 661
Rojas-Ramos, M, 299
Roselle, GA, 605
Rosenbloom, ES, 819
Rosenman, KD, 415
Ross, CE, 448, 455
Rothstein, MA, 616
Rumley, MH, 408

S

Safran, DA, 569
Saia, B, 51
Samo, DG, 209, 217
Samuels, S, 556
Sanderson, WT, 1047
Sandström, M, 15, 108
Schall, LC, 1097
Scheman, A, 605
Schenker, MB, 556
Schnatter, AR, 970
Schork, MA, 661
Schulz, LA, 727
Schuman, SH, 1183, 1186, 1191
Schwartz, BS, 320
Sclar, DA, 652
Seitz, T, 960
Selvin, S, 740
Shands, LA, 463
Shatz, I, 285
Sheppard, L, 849
Shusterman, D, 194
Silverstein, B, 99
Silverstein, BA, 1233
Silverstein, M, 99
Simpson, WM, Jr, 1183, 1186, 1191
Smith, EM, 138
Smith, LB, 623
Snydmiller, G, 122
Soden, KJ, 11
Solomon, GM, 105, 394, 1136
Sorensen, G, 520
Sorock, GS, 35
Sparks, PJ, 1068
Steinberg, JJ, 1123
Stenberg, B, 108
Stewart, LA, 540
Stewart, WF, 320
Stout, NA, 832
Stover, B, 849
Succop, P, 623
Suruda, AJ, 767

T

Talmage, JB, 509
Tammilehto, L, 534
Tarnai, J, 652
Tartaglini, AJ, 569
Teichman, R, 1245
Teichman, RF, 614
Tiburzi, MJ, 426
Tipton, J, 983
Topor, M, 520
Tsai, SP, 448, 455
Tubbs, RL, 1135
Tyner, M, 11

U

Uges, DRA, 1111

V

Vainio, H, 203
Valanis, B, 574
Vargas, L, 44
Vatalán-Vázquz, M, 299
Vesley, D, 130
Vickers-Lahti, M, 1195
Volinn, E, 35, 937
Vollmer, W, 574
Voorhees, RA, 463
Vos de Wael, ML, 1111

W

Wasserman, DE, 403
Wasserman, JF, 403
Watanabe, K, 101
Watkins, DK, 432, 548
Webster, B, 35
Webster, BS, 748, 937
Weiss, JC, 442
Weiss, W, 1003
Wellford, C, 442
Whitfield, RR, 509
Wilder, DG, 403
Willemsen, MC, 1111
Wills, M, 1092
Wintermeyer, SF, 308
Witting, P, 1037
Wong, H, 308
Wormser, U, 285
Wu, M-T, 527
Wyart-Remy, M, 700
Wypij, D, 527

Y

Yakes, B, 960
Yamaoka, K, 286
Yano, E, 286
Yeary, RA, 193
Yen, LT-c, 1037

Z

Zahm, D, 442
Zahm, SH, 1055
Zavon, MR, 1136
Zeitz, PS, 463
Zhang, JD, 315
Zhang, ZW, 1074